

L Number	Hits	Search Text	DB	Time stamp
-	16015	445/\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:03
-	156	445/\$ and organic and el	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:05
-	430	445/24.ccls. and organic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:09
-	75	(445/24.ccls. and organic) and groove	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:06
-	187	(445/24.ccls. and organic) and (groove trench barrier partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:11
-	82	445/24.ccls. and (BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:22
-	230	445/24.ccls. and electroluminescen\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:24
-	121	445/24.ccls. and electroluminescen\$ and organic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:11
-	129	(445/24.ccls. and electroluminescen\$ and organic) or (445/24.ccls. and (BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:11
-	62	((445/24.ccls. and electroluminescen\$ and organic) or (445/24.ccls. and (BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD))) and (groove trench barrier partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:11
-	243	445/24.ccls. and (electroluminescen\$ el)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:25
-	249	(445/24.ccls. and (electroluminescen\$ el)) or (445/24.ccls. and (BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:25
-	2008	313/498,506,509,504.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:25
-	627	313/498,506,509,504.ccls. and (groove trench barrier channel partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:26
-	431	313/498,506,509,504.ccls. and (groove trench channel wall partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 19:14

-	242	313/498,506,509,504.ccls. and (groove trench channel wall partition\$) same (el organic electrolumines\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 05:33
-	242	313/498,506,509,504.ccls. and (groove trench channel wall partition\$) same (el organic electrolumines\$) and (groove trench channel wall partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:29
-	2	"2001148291"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:30
-	2	"2001148291"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:30
-	30	"0090175"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:46
-	2	"20040090175"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:38
-	2	6614174.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:38
-	43	"57370"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:46
-	7	"057370"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:47
-	18	"235891"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:47
-	20	"0235891"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:32
-	0	"20000235891"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:50
-	2	"2000235891"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 06:50
-	7	("6008578" "6091382" "6117529" "6344712" "6384541" "6545408" "6552488").PN.	USPAT	2004/08/23 07:07
-	304	313/498.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:16

-	27941	(BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 17:24
-	417	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and pixel same width	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:23
-	265	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and pixel with width	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:04
-	4	"088193"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:30
-	5	"057370"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:30
-	0	"60057370"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:32
-	4	"6057370"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:33
-	0	60-57370	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:33
-	0	60-057370	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:33
-	4	56-88193	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:36
-	0	56-088193	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:37
-	0	60-57370	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:37
-	0	60-057370	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:37
-	143	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and sub-pixel	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 07:38

-	198	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)) and capillary and method	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:07
-	3243	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)) and solution and dissolv\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:08
-	62	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)) and (solution and dissolv\$4) with el	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:08
-	1416	445/24.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:16
-	100	445/24.ccls. and electrode with solution	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:17
-	35	(445/24.ccls. and electrode with solution) and (groove trench partition\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:17
-	30	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)) and electrode with solution with (groove partition trench)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:43
-	2	6091078.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:50
-	4702	313/498-512.ccls. or 445/24.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:50
-	10	(313/498-512.ccls. or 445/24.ccls.) and (electrode anode cathode) with (solution wet ink jet) with (bank groove partition)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:56
-	184	(313/498-512.ccls. or 445/24.ccls.) and (electrode anode cathode) near3 (solution wet ink jet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 08:56
-	123	(313/498-512.ccls. or 445/24.ccls.) and (electrode anode cathode) near2 (solution wet ink jet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:44
-	2	4,270,823.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:44
-	8	("2297488" "2599710" "2785997" "3347703" "3392052" "3942061" "4010395" "4032350").PN.	USPAT	2004/08/23 13:48
-	8	4270823.URPN.	USPAT	2004/08/23 13:52
-	5	("4270823" "4518894" "5800232" "6005345" "6034470").PN.	USPAT	2004/08/25 16:05
-	27983	(BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 17:25

-	217	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and capillary	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 17:29
-	10	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and capillary and 445/\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:23
-	406	427/66.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:23
-	40	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and capillary and (445/\$ 427/\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:23
-	30	((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and capillary and (445/\$ 427/\$) not (((BOLED OLED OEL TOLED SOLED FOLED organic near2 (EL adj (apparatus device) light lamp luminaire electroluminesc\$9 electro adj luminesc\$9 EL) OELD OED LESD) and capillary and 445/\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:33
-	14	("3965280" "4125510" "4405208" "4417174" "4701482" "4847120" "5063102" "5068157" "5213864" "5260398" "5294869" "5300591" "5420213" "5492981").PN.	USPAT	2004/08/25 18:27
-	2	5855994.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/25 18:33
-	13	("4125510" "4405208" "4417174" "4701482" "4847120" "5063102" "5068157" "5213864" "5260398" "5294869" "5300591" "5420213" "5492981").PN.	USPAT	2004/08/25 18:34
-	6	5855994.URPN.	USPAT	2004/08/25 18:35
-	7	("5734225" "5855994" "5895228" "5994836" "6191433" "6320311" "6399210" "2001/0019133" "2001/0022497").PN.	USPAT	2004/08/25 18:38
-	13	("4125510" "4405208" "4417174" "4701482" "4847120" "5063102" "5068157" "5213864" "5260398" "5294869" "5300591" "5420213" "5492981").PN.	USPAT	2004/08/25 21:23
-	6	5855994.URPN.	USPAT	2004/08/25 21:25
-	13	("4125510" "4405208" "4417174" "4701482" "4847120" "5063102" "5068157" "5213864" "5260398" "5294869" "5300591" "5420213" "5492981").PN.	USPAT	2004/08/26 18:55
-	3	5492981.URPN.	USPAT	2004/08/30 11:49
-	41	"114487"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:05
-	2649	electrode with (solution) and EL	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:05

-	77	(electrode with (solution) and EL) and groove	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 09:05
-	14	"235891"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:51
-	24	"351214"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:53
-	11	"354225"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 11:53
-	5	("5917280" "6232714" "6337492" "6366025" "6579629").PN.	USPAT	2004/08/30 12:26
-	1	6515343.pn.	USPAT	2004/08/30 15:07
-	1	6515314.pn.	USPAT	2004/08/31 13:15
-	1	6515314.pn.	USPAT	2004/08/31 13:16
-	2	"9824271"	EPO; JPO; DERWENT	2004/09/02 19:12
-	44	315/169.3.ccls.	EPO; JPO; DERWENT	2004/09/02 19:12
-	1254	315/169.3.ccls.	USPAT; EPO; JPO; DERWENT	2004/09/02 19:14
-	241	313/498,506,509,504.ccls. and pixel with color	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 19:33
-	30	313/498,506,509,504.ccls. and gradation	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 19:33